

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	Honeywell Clear Lens Cleaner
Registration number	-
Synonyms	None.
Product code	1011378 & 1011380
Issue date	06-July-2015
Version number	01
Revision date	-
Supersedes date	-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Lens cleaning solution.
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Company name:	Honeywell Safety Products UK Ltd
Address:	Unit 3 Elmwood Chineham Park Basingstoke RG24 8WG
Telephone:	+44 (0) 1256 693 200
Fax:	+44 (0) 1256 693 300
Contact person	hsptechnsupport@honeywell.com
e-mail:	info-uk.hsp@honeywell.com
1.4. Emergency telephone number:	+(44)-870-8200418

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Low hazard under normal conditions.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.

Precautionary statements

Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
2-Butoxyethanol	<6	111-76-2 203-905-0	-	603-014-00-0	#
Classification:	Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Acute Tox. 4;H332				
Sodium Lauryl Ether Sulfate	<2	68585-34-2 500-223-8	-	-	
Classification:	Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Chronic 3;H412				

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

4.1. Description of first aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.
Skin contact Wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact Remove contact lenses. Get medical attention promptly if symptoms occur after flushing.
Ingestion Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed No specific symptoms noted.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).
Unsuitable extinguishing media No restrictions known.

5.2. Special hazards arising from the substance or mixture None.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures Self-contained breathing apparatus operated in positive pressure mode and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For industrial use, wear appropriate personal protective equipment (See Section 8).
For emergency responders Keep unnecessary personnel away.

6.2. Environmental precautions Treat discharge into drains, water courses or onto the ground according to applicable regulations.

6.3. Methods and material for containment and cleaning up Stop leak if you can do so safely. Absorb spill with appropriate sand, clay or other inert sorbent material, then place in appropriate waste container.

Large Spills: Flush area with water. Treat runoff per applicable environmental regulations pertaining to drains, water courses and ground water, diking if required.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Observe good industrial hygiene practices. Avoid inhalation of vapours and contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep container closed. Store away from incompatible materials. Do not allow material to freeze. Keep at temperature not exceeding 43°C.

7.3. Specific end use(s)

Lens cleaning solution.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits****UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	STEL	246 mg/m ³
	TWA	50 ppm
		123 mg/m ³
		25 ppm

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	STEL	246 mg/m ³
	TWA	50 ppm
		98 mg/m ³
		20 ppm

Biological limit values**UK. EH40 Biological Monitoring Guidance Values (BMGVs)**

Components	Value	Determinant	Specimen	Sampling time
2-Butoxyethanol (CAS 111-76-2)	240 mmol/mol	Butoxyacetic acid	Creatinine in urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines**UK EH40 WEL: Skin designation**

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

8.2. Exposure controls**Appropriate engineering controls**

Not required.

Individual protection measures, such as personal protective equipment**General information**

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

None under normal conditions.

Skin protection**- Hand protection**

Chemical resistant gloves are recommended.

- Other

None under normal working conditions.

Respiratory protection

Not normally needed.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking.

Environmental exposure controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance**

Clear tinted liquid.

Physical state

Liquid.

Form	Liquid.
Colour	Clear tinted.
Odour	Slight odor.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	100 °C (212 °F)
Flash point	> 100.0 °C (> 212.0 °F)
Evaporation rate	< 1 (Butyl acetate=1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	22 mm Hg (20°C/68°F)
Vapour density	Not available.
Relative density	0.98
Solubility(ies)	Completely soluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non reactive under normal conditions of storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Contact with incompatible materials. Freezing. Elevated temperatures.
10.5. Incompatible materials	Strong oxidizers, strong acids, and strong bases.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Under normal conditions of intended use, this material does not pose a risk to health.
Information on likely routes of exposure	
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Prolonged or repeated contact may dry skin and cause irritation.
Eye contact	May cause temporary eye irritation.
Ingestion	No harmful effects expected in amounts likely to be ingested by accident.
Symptoms	May cause discomfort if swallowed.
11.1. Information on toxicological effects	
Acute toxicity	Not expected to be acutely toxic.
Skin corrosion/irritation	Prolonged or repeated contact may dry skin and cause irritation.
Serious eye damage/eye irritation	May cause temporary eye irritation.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not a skin sensitiser.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Mixture versus substance information	Not available.
Other information	No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	The product is not expected to bioaccumulate.
Partition coefficient n-octanol/water (log Kow)	
2-Butoxyethanol (CAS 111-76-2)	0.83
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	The product is completely soluble in water.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.
EU waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Dispose in accordance with all applicable regulations. Do not allow runoff to sewer, waterway or ground.

SECTION 14: Transport information

ADR	Not regulated as dangerous goods.
RID	Not regulated as dangerous goods.
ADN	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
EU regulations	
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended	Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

2-Butoxyethanol (CAS 111-76-2)

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.

PBT: Persistent, bioaccumulative and toxic.

vPvB: Very Persistent and very Bioaccumulative.

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

References

ESIS (European chemical Substances Information System)

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Training information

H412 Harmful to aquatic life with long lasting effects.

Disclaimer

Follow training instructions when handling this material.

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.